


5 PROFILE: POND A AND C CONNECTION AND OUTLET PRELIMINARY DRAFT NOT FOR CONSTRUCTION HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE BARR PROJECT No AS SHOWN Project Office: BRYN MAWR MEADOWS WQ IMPROVEMENTS 23/27-1887.00 BARR ENGINEERING CO. 12/17/2021 **BASSETT CREEK WMC** MINNEAPOLIS, MN BARR 4300 MARKETPOINTE DRIVE CLIENT PROJECT No. STATE OF MINNESOTA. JMD3 CITY REVIEW JPP RINTED NAME JOSHUA P. PHILLIPS MINNEAPOLIS, MN 55435 MINNEAPOLIS, MN STORMWATER UTILITIES JMD3 JPP MAK 12/17/2021 ISSUED FOR 30% REVIEW BARR DWG. No. RELEASED **PROFILES** NO. BY CHK. APP. DATE REVISION DESCRIPTION В \_\_LICENSE # \_\_\_\_\_ 58685

## HORIZONTAL SCALE IN FEET

10 VERTICAL SCALE IN FEET



825

810


805


800

POND A FINISHED GRADE

2+00







151 LF 18 inch HDPE Pipe SDR26 @ 2.96%

 $\underbrace{ \text{$3$}}_{\text{C4.0}} \text{ PROFILE: POND A INLET AND MORGAN AVE CROSSING}$ 

INSTALL CONCRETE CRADLE BETWEEN 15" DIP AND 42" RCP

RIM = 815.66 INV. = 812.05 Out INV. = 812.30 In

INV. = 812.30 In SUMP = 809.05

" RCP, INV. 808.4

830


RIM = 815.79

INV. = 812.62 lr


INV. = 812.62 Out


31 LF 15.0 inch DIP @ 1.00% SANITARY 21" RCP


1 PROFILE: LAUREL AVE STORM WATER DIVERSION




PROFILE: LAUREL AVE CROSSING












2 DETAIL: MINNEAPOLIS PLATE NO. SEWR-1008-R1 NOT TO SCALE



HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, O

EPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER LINDER THE LAWS OF THE

\_LICENSE # \_\_\_\_ 58685

CITY REVIEW

RELEASED

STATE OF MINNESOTA

RINTED NAME JOSHUA P. PHILLIPS





AS SHOWN 12/17/2021 JMD3 JPP BARR MAK

MINNEAPOLIS, MN

NOT FOR CONSTRUCTION BARR PROJECT No BRYN MAWR MEADOWS WQ IMPROVEMENTS 23/27-1887.00 MINNEAPOLIS, MN CLIENT PROJECT No.

STORMWATER STRUCTURE

DETAILS

PRELIMINARY DRAFT

SCALE IN FEET

REVISION DESCRIPTION

**BARR** MINNEAPOLIS, MN 55435

**BASSETT CREEK WMC** 

DWG No В C4.2

JMD3 JPP MAK 12/17/2021 ISSUED FOR 30% REVIEW

NO. BY CHK. APP. DATE

ISSUED FOR 50% BCWMC JMD3 JPP MAK 12/17/2021 ISSUED FOR 30% REVIEW NO. BY CHK. APP. DATE

CONCRETE ADJUSTING RING

NOTES:
ON CONSTRUCTION OF DRAINAGE STRUCTURES,
THE NUMBER OF ADJUSTING RINGS USED PER
MANHOLE OR CATCH BASIN SHALL BE LIMITED
TO PROVIDE A MAXIMUM THICKNESS OF 8"
INCLUDING MORTAR THICKNESS (A 6" RING IS NOT
ALLOWED ON NEW CONSTRUCTION). PLASTER
COAT INTERIOR OF ADJ. RINGS MIN. 12" MORTAR MIX
TYPE N AIR ENITRAINED. FINISHED SMOOTH. CONCRETE
PINGS MILET RE FNCASED IN MORTAR.

TOP VIEW 1/4" (APPROX.) GROOVE —

SECTION A-A

MINNEAPOLIS CATCH BASIN

MINNEAPOLIS CUSTOM MNDOT SPEC. REF. 2506, 4026A CONCRETE ADJUSTING RINGS ONLY NOT TO SCALE

STANDARD PLATE NO. SEWR-1011-R1

INSTALLATION DETAIL

PAVEMENT SURFACE -

- CONCRETE COLLAR TO ENCASE CASTING AND ADJUSTING RINGS. USE CONCRETE CURB AND GUTTE! MIX OR MORTAR MIX FOR COLLAR (MNDOT SPEC. 2506.2B)

CONCRETE ADJUSTING RINGS

1 DETAIL: MINNEAPOLIS PLATE NO. SEWR-1011-R1

RINGS MUST BE ENCASED IN MORTAR.

REINFORCING: A SINGLE HOOP OF 8 GAGE STEEL WIRE.

MINNEAPOLIS SHORT CONE SECTION

Minneapolis

REVISION DESCRIPTION

STATE OF MINNESOTA. RINTED NAME JOSHUA P. PHILLIPS

\_LICENSE # \_\_\_\_ 58685

4300 MARKETPOINTE DRIVE MINNEAPOLIS, MN 55435

12/17/2021 JMD3 JPP BARR MAK

MINNEAPOLIS, MN STORMWATER STRUCTURE DETAILS

NOT FOR CONSTRUCTION BARR PROJECT No. 23/27-1887.00 CLIENT PROJECT No. DWG. No. C4.3 В

BRYN MAWR MEADOWS WQ IMPROVEMENTS

PRELIMINARY DRAFT

CONSTRUCTION CITY REVIEW


Project Office: BARR ENGINEERING CO.


AS SHOWN

BASSETT CREEK WMC
MINNEAPOLIS, MN

	Т		I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT	CLIENT	01/12/22	_	I —		I
_	-		REPORT WAS PREPARED BY ME OR UNDER MY DIRECT	DID		-		-	







CATCH BASIN CASTING

- 29 5/8"

- 5/8" DIA. CORED HOLES

PLAN

NOTES:
FOR USE WITH 30" DIA. REINFORCED CONCRETE CATCH BASIN POT.
MAY ALSO BE USED ON A MANHOLE STRUCTURE WHEN PLACED TO
CAPTURE GUTTER FLOWS.
MNDOT FRAME CASTING 806, USE GRATE 816, CURB BOX 824.
APPROXIMATE WEIGHT = 302 LBS.
MATERIAL: GRAY IRON ASTM A-48

Minneapolis


**┌**► B


<u>B-B</u>


— 3/4" DIA. CORED HOLE FOR CURB BOX


MNDOT SPEC. REF. 2506 MNDOT 41250 NOT TO SCALE


STANDARD PLATE NO. SEWR-2006


















1 DETAIL: MINNEAPOLIS PLATE NO. SEWR-2008
NOT TO SCALE

2 DETAIL: MINNEAPOLIS PLATE NO. SEWR-3010 NOT TO SCALE

**BARR** 

Project Office: BARR ENGINEERING CO. MINNEAPOLIS, MN 55435

AS SHOWN 12/17/2021 JMD3 JPP BARR MAK


**BASSETT CREEK WMC** MINNEAPOLIS, MN

PRELIMINARY DRAFT NOT FOR CONSTRUCTION BARR PROJECT No. BRYN MAWR MEADOWS WQ IMPROVEMENTS MINNEAPOLIS, MN

23/27-1887.00 CLIENT PROJECT No. STORMWATER STRUCTURE DWG No DETAILS В

HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, OF EPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER LINNER THE LAWS OF THE CONSTRUCTION CITY REVIEW ISSUED FOR 50% BCWM RINTED NAME JOSHUA P. PHILLIPS JMD3 JPP MAK 12/17/2021 ISSUED FOR 30% REVIEW RELEASED NO. BY CHK. APP. DATE REVISION DESCRIPTION \_LICENSE # \_\_\_\_\_ 58685

4300 MARKETPOINTE DRIVE



- EXISTING GROUND 815 810 802 816.6 816.64 816.1 816.3 816.33 1+00 2+00

2 PROFILE: MORGAN AVE

0 السلسلا VERTI	5 CAL SCALE IN	10 FEET
0 	10 l	20
HORIZO	NTAL SCALE I	N FFFT

PRELIMINARY DRAFT NOT FOR CONSTRUCTION

REV. No.

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, OR CHENT REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MINNESOTA.

CITY REVIEW B JMD3 JPP MAK 01/12/2022 ISSUED FOR 50% BCWMC
A JMD3 JPP MAK 12/17/2021 ISSUED FOR 30% REVIEW PRINTED NAME JOSHUA P. PHILLIPS RELEASED TO/FOR NO. BY CHK. APP. DATE REVISION DESCRIPTION \_\_LICENSE # \_\_\_\_58685


A B C D 0 1 2 Corporate Headquarters: Minneapolis, Minnea


BARR ENGINEERING CO.
4300 MARKETPOINTE DRIVE
Suite 200
MINNEAPOLIS, MN 55435


Scale	AS SHOWN
Date	12/17/2021
Drawn	JMD3
Checked	JPP
Designed	BARR
Approved	MAK


BASSETT CREEK WMC MINNEAPOLIS, MN

110111	on concincon	011			
BRYN MAWR MEADOWS WQ IMPROVEMENTS	BARR PROJECT No.				
	23/27-1887.	.00			
MINNEAPOLIS, MN	CLIENT PROJECT No.				
ROAD AND PAVING					
	DWG. No.	REV. I			
PROFILES	C5.1	В			




















PRELIMINARY DRAFT NOT FOR CONSTRUCTION


					I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, OR	CLIENT	_	01/12/22		_		_	_	
					REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED	BID		I	_	_	_		_	
					PROFESSIONAL ENGINEER UNDER THE LAWS OF THE	CONSTRUCTION		I	_	=	_	_	_	
					STATE OF MINNESOTA.	CITY REVIEW		I	_	=	_	_	_	BAL
MD3	JPP	MAK	01/12/2022	ISSUED FOR 50% BCWMC	PRINTED NAME JOSHUA P. PHILLIPS	-		I	_	_	_	_	_	
MD3	JPP	MAK	12/17/2021	ISSUED FOR 30% REVIEW	CIONATURE	RELEASED	Α	В	С	D	0	1		Corporate Headqu
BY	снк.	APP.	DATE	REVISION DESCRIPTION	SIGNATURE 10ENSE# 58685	TO/FOR		<u> </u>	DATE	RELEA	SED			Minneapolis, Minr Ph: 1-800-632-22


Project Office: BARR ENGINEERING CO.
4300 MARKETPOINTE DRIVE
Suite 200
MINNEAPOLIS, MN 55435 Ph: 1-800-632-2277 Fax: (952) 832-2601


AS SHOWN 12/17/2021 JMD3 JPP BARR MAK


BASSETT CREEK WMC MINNEAPOLIS, MN

NOTE	JK CONSTRUCTI	UN
BRYN MAWR MEADOWS WQ IMPROVEMENTS	BARR PROJECT No.	
	23/27-1887	.00
MINNEAPOLIS, MN	CLIENT PROJECT No.	
ROAD AND PAVING		
	DWG. No.	REV. No.
DETAILS	C5.2	В











1 DETAIL: MINNEAPOLIS PLATE NO. ROAD-1000
NOT TO SCALE





4 DETAIL: MINNEAPOLIS PLATE NO. ROAD-5000 NOT TO SCALE

> PRELIMINARY DRAFT NOT FOR CONSTRUCTION

> > В

RINTED NAME JOSHUA P. PHILLIPS JMD3 JPP MAK 12/17/2021 ISSUED FOR 30% REVIEW NO. BY CHK. APP. DATE REVISION DESCRIPTION

HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE BID CONSTRUCTION CITY REVIEW RELEASED \_LICENSE # \_\_\_\_ 58685


**BARR** 

Project Office: BARR ENGINEERING CO. 4300 MARKETPOINTE DRIVE MINNEAPOLIS, MN 55435

AS SHOWN 12/17/2021 JMD3 JPP BARR MAK

**BASSETT CREEK WMC** MINNEAPOLIS, MN


BARR PROJECT No. BRYN MAWR MEADOWS WQ IMPROVEMENTS 23/27-1887.00 MINNEAPOLIS, MN CLIENT PROJECT No. ROAD AND PAVING DWG. No. DETAILS





1 DETAIL: MNDOT STANDARD PLAN 5-297.250 - NOT TO SCALE

> PRELIMINARY DRAFT NOT FOR CONSTRUCTION

₹ [					I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, OR	CLIENT	01/12/22 -	_ _ -			Project Office:	Scale	AS SHOWN		BRYN MAWR MEADOWS WQ IMPROVEMENTS	BARR PROJECT No.	
8	_	_			SUPERVISION AND THAT I AM A DULY LICENSED	BID		_ _ -			BARR ENGINEERING CO.	Date	12/17/2021	DAGGETT OBEEKIAMAG		23/27-1887	7.00
Š.	_				STATE OF MINNESOTA.	CITY REVIEW				RARR		Drawn	JMD3	BASSETT CREEK WMC	MINNEAPOLIS, MN	CLIENT PROJECT No.	
	в ум	O3 JPP N	MAK 01/12/2022	ISSUED FOR 50% BCWMC	PRINTED NAME JOSHUA P. PHILLIPS	-		_ _ -		DARR	MINNEAPOLIS, MN 55435	Checked	JPP	MINNEAPOLIS, MN	ROAD AND PAVING		
2 ≥	A JMI	03 JPP N	MAK 12/17/2021	ISSUED FOR 30% REVIEW	SIGNATURE	RELEASED	A B	C D 0	1 2 Corp	rporate Headquarters:	Ph: 1-800-632-2277	Designed	BARR	Will WE W SEIS, WIT		DWG. No.	REV. No.
&	NO. B	Y CHK.	APP. DATE	REVISION DESCRIPTION	DATELICENSE #58685	TO/FOR	DA	TE RELEASED	Ph:	1-800-632-2277	Fax: (952) 832-2601 www.barr.com	Approved	MAK		DETAILS	C5.4	В









SLOPES 1:2 TO 1:1 (1.7 STAPLES PER SQ. YD.)

CHANNEL AND DITCH APPLICATIONS (3.5 STAPLES PER SQ. YD.)

→ 18' <del>\*</del> - \* → 1

SLOPES FLATTER THAN 1:2 (1.2 STAPLES PER SQ. YD.)







4 DETAIL: MINNEAPOLIS PLATE NO. SEWR-8005 NOT TO SCALE

HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, OR EPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER LINDER THE LAWS OF THE CONSTRUCTIO ITY REVIEW RINTED NAME JOSHUA P. PHILLIPS JMD3 JPP MAK 12/17/2021 ISSUED FOR 30% REVIEW A B C D 0 1 2 RELEASED NO. BY CHK. APP. DATE REVISION DESCRIPTION \_LICENSE # \_\_\_\_\_ 58685

**BARR** 


Project Office: BARR ENGINEERING CO. 4300 MARKETPOINTE DRIVE MINNEAPOLIS, MN 55435


AS SHOWN 12/17/2021 JMD3 JPP BARR MAK

**BASSETT CREEK WMC** MINNEAPOLIS, MN

PRELIMINARY DRAFT NOT FOR CONSTRUCTION BARR PROJECT No. MINNEAPOLIS, MN CLIENT PROJECT No.

BRYN MAWR MEADOWS WQ IMPROVEMENTS 23/27-1887.00 **DETAILS** DWG No В








TEMPORARILY OR PERMANENTLY STABILIZE ALL DENUDED AREAS WHICH HAVE BEEN FINISH GRADED WITHIN 7-14 DAYS (SLOPE DEPENDENT). USE SEEDING AND MULCHINIG, EROSION CONTROL MATTING AND/OR SODDING WITH TEMPORARY STAKING IN GREEN SPACE AREAS. USE EARLY APPLICATION OF GRAVEL BASE FOR AREAS DESIGNATED FOR PAVED SURFACING


10. REMOVE ALL TEMPORARY SYNTHETIC, STRUCTURAL AND NON-BIODEGRADABLE EROSION AND SEDIMENT CONTROL AFTER THE SITE HAS UNDERGONE FINAL STABILIZATION AND PERMANENT VEGETATION HAS BEEN ESTABLISHED, MINIMUM VEGETATION COVER OF 70% REQUIRED, ALL TEMPORARY EROSION AND SEDIMENT CONTROL DEVICES SHALL BE MAINTAINED UNTIL THE SITE HAS 70% ESTABLISHED VEGETATIVE COVER AND ALL PAVED AREAS HAVE BEEN STABLISZED WITH THE SELECTED PAVEMENT TYPE.

1.ADDITIONAL EROSION CONTROL MAY BE REQUIRED BY OTHER PERMITTING AGENCIES, IT IS THE RESPONSIBILITY OF THE PROJECT ENGINEER TO VERIFY THAT THE CITY AND ALL OTHER AGENCY REQUIREMTS ARE MET.

EROSION CONTROL NOTES Minneapolis SEWR-8007









PRELIMINARY DRAFT NOT FOR CONSTRUCTION

В

HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, OF EPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER LINDER THE LAWS OF THE CONSTRUCTIO STATE OF MINNESOTA. CITY REVIEW RINTED NAME JOSHUA P. PHILLIPS JMD3 JPP MAK 12/17/2021 ISSUED FOR 30% REVIEW RELEASED NO. BY CHK. APP. DATE REVISION DESCRIPTION DATE\_\_\_ \_LICENSE # \_\_\_\_ 58685

**BARR** 

Project Office: BARR ENGINEERING CO. 4300 MARKETPOINTE DRIVE MINNEAPOLIS, MN 55435

AS SHOWN 12/17/2021 JMD3 JPP Designed BARR MAK

**BASSETT CREEK WMC** MINNEAPOLIS, MN

BARR PROJECT No BRYN MAWR MEADOWS WQ IMPROVEMENTS 23/27-1887.00 MINNEAPOLIS, MN CLIENT PROJECT No. **DETAILS** DWG No

